

APPENDIX 1


DESIGN REVIEW

REVISED 1/17/17

SHEET INDEX


L1.0 LANDSCAPE SITE PLAN
L1.1 LANDSCAPE PLANTING AND HARDSCAPE PLAN 1
L1.2 LANDSCAPE PLANTING AND HARDSCAPE PLAN 2
L1.3 LANDSCAPE PLANTING AND HARDSCAPE PLAN 3
L1.4 LANDSCAPE PLANTING AND HARDSCAPE PLAN 4
L1.5 LANDSCAPE PLANTING AND HARDSCAPE PLAN 5
A1.1 OVERALL FLOOR PLANS - LEVEL 1
A1.2 OVERALL FLOOR PLANS - LEVEL 2
SD 5.3 EXTERIOR ELEVATIONS
SD 5.4 EXTERIOR ELEVATIONS
E0.3 SITE PLAN - ELECTRICAL
E0.4 SITE PLAN - LIGHTING
E0.5 SITE PLAN - LIGHTING





PARKING COUNTS			
REQUIRED		PROVIDED	
ACCESSIBLE STALLS*	8	ACCESSIBLE STALLS*	8
STAFF	90	STAFF	106
STUDENT	150	STUDENT	192
VISITOR	20	VISITOR	20
TOTAL STD STALLS**	260	TOTAL STD STALLS	318



* City of Camas municipal development code (CMC)
 ** Camas School District requirement (exceeds CMC)



LANDSCAPE SITE PLAN
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT



Plotted: Jun 06, 2017 - 10:22am magpie V:\PROJECT\17900\17939\CADD\ACAD\Draw\CT17939L1-SET.dwg Layout Name: L1.1



GENERAL NOTES


1. ALL LANDSCAPED AREAS TO BE WATERED BY A FULLY AUTOMATIC UNDERGROUND IRRIGATION SYSTEM.
2. PLANT MATERIAL LEGEND SEE SHEET L3.4
3. LANDSCAPE INSTALLATION NOTES AND DETAILS: SEE SHEET L4.1 TO L4.8

CONSTRUCTION NOTES

- ① ENTRY COMMONS AREA. SEE SHEET L3.1
- ② HARD SURFACE PLAYGROUND AREA. SEE SHEET L3.3
- ③ PEDESTRIAN CROSSING AREA. SEE SHEET L3.1
- ④ BUS LOADING AREA. SEE SHEET L3.1
- ⑤ AMPHITHEATER AREA. SEE SHEET L3.2
- ⑥ STORMWATER GARDEN AREA. SEE SHEET L3.2
- ⑦ OUTDOOR LEARNING AREA. SEE SHEET L3.2
- ⑧ OUTDOOR LEARNING AREA. SEE SHEET L3.1
- ⑨ INSTALL 12' F ROOT BARRIER WHERE INDICATED. SEE SHEET L4.1
- ⑩ PEDESTRIAN CROSSING AREA AT MIDDLE SCHOOL. SEE SHEET L3.3
- ⑪ STORM POND OVERLOOK WITH RAILING. SEE SHEET L3.3

LEGEND

- EXISTING EVERGREEN TREE TO REMAIN
- EXISTING DECIDUOUS TREE TO REMAIN



LAND USE REVIEW
1-06-17





LANDSCAPE PLANTING AND HARDSCAPE PLAN 1
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

L1.1



© 2014 DLR Group Architecture & Planning Inc. an Oregon corporation. ALL RIGHTS RESERVED



GENERAL NOTES

1. ALL LANDSCAPED AREAS TO BE WATERED BY A FULLY AUTOMATIC UNDERGROUND IRRIGATION SYSTEM.
2. PLANT MATERIAL LEGEND: SEE SHEET L1.4
3. LANDSCAPE INSTALLATION NOTES AND DETAILS: SEE SHEET L4.1 TO L4.8

CONSTRUCTION NOTES

- 1 ENTRY COMMONS AREA. SEE SHEET L3.1
- 2 HARD SURFACE PLAYGROUND AREA. SEE SHEET L3.3
- 3 PEDESTRIAN CROSSING AREA. SEE SHEET L3.1
- 4 BUS LOADING AREA. SEE SHEET L3.1
- 5 AMPHITHEATER AREA. SEE SHEET L3.2
- 6 STORMWATER GARDEN AREA. SEE SHEET L3.2
- 7 OUTDOOR LEARNING AREA. SEE SHEET L3.2
- 8 OUTDOOR LEARNING AREA. SEE SHEET L3.1
- 9 INSTALL 12 LF ROOT BARRIER WHERE INDICATED. SEE SHEET L4.1
- 10 PEDESTRIAN CROSSING AREA AT MIDDLE SCHOOL. SEE SHEET L3.3
- 11 STORM POND OVERLOOK WITH RAILING. SEE SHEET L3.3

LEGEND



EXISTING EVERGREEN TREE TO REMAIN
 EXISTING DECIDUOUS TREE TO REMAIN

 SCALE ACCURATE ON 11X17 SHEET



otak
 Hanni Ode Parker
 700 Washington St. Ste 401
 Vancouver, WA 98660
 Phone: (360) 737-9613
 Fax: (360) 737-9651
 www.otak.com





GENERAL NOTES


1. ALL LANDSCAPED AREAS TO BE WATERED BY A FULLY AUTOMATIC UNDERGROUND IRRIGATION SYSTEM.
2. PLANT MATERIAL LEGEND: SEE SHEET L1.4.
3. LANDSCAPE INSTALLATION NOTES AND DETAILS: SEE SHEET L4.1 TO L4.8.

CONSTRUCTION NOTES

- ① ENTRY COMMONS AREA. SEE SHEET L3.1
- ② HARD SURFACE PLAYGROUND AREA. SEE SHEET L3.3
- ③ PEDESTRIAN CROSSING AREA. SEE SHEET L3.1
- ④ BUS LOADING AREA. SEE SHEET L3.1
- ⑤ AMPHITHEATER AREA. SEE SHEET L3.2
- ⑥ STORMWATER GARDEN AREA. SEE SHEET L3.2
- ⑦ OUTDOOR LEARNING AREA. SEE SHEET L3.2
- ⑧ OUTDOOR LEARNING AREA. SEE SHEET L3.1
- ⑨ INSTALL 12 LF ROOT BARRIER WHERE INDICATED. SEE SHEET L4.1
- ⑩ PEDESTRIAN CROSSING AREA AT MIDDLE SCHOOL. SEE SHEET L3.3
- ⑪ STORM POND OVERLOOK WITH RAILING. SEE SHEET L3.3

LEGEND

- EXISTING EVERGREEN TREE TO REMAIN
- EXISTING DECIDUOUS TREE TO REMAIN



PLANTING LEGEND

TREES		SYMBOL	QUANTITY	COMMON NAME / Botanical name	Size and Description
	1	VINE MAPLE / <i>Acer circinatum</i>	1	Multi-stemmed, B&B or 5 Gal cont.	
	1	PAPERBARK MAPLE / <i>Acer griseum</i>	1	2" CAL, B&B* or container	
	1	BIG LEAF MAPLE / <i>Acer macrophyllum</i>	1	1 1/2" Cal., B&B*	
	1	RED SUNSET MAPLE / <i>Acer rubrum 'Franksred'</i>	1	1 1/2" Cal., B&B	
	1	KARPICK RED MAPLE / <i>Acer rubrum 'Karpick'</i>	1	2" CAL, B&B*	
	1	UMBRELLA CATALPA / <i>Catalpa bignonioides 'Nano'</i>	1	2" CAL, B&B or container	
	1	NORTHERN CATALPA / <i>Catalpa speciosa</i>	1	2" CAL, B&B* or container	
	1	KATSURA / <i>Cercidiphyllum japonicum</i>	1	1 1/2" Cal., B&B	
	1	EASTERN REDBUD / <i>Cercis canadensis</i>	1	1" Cal., B&B	
	1	YELLOWWOOD / <i>CLADRATIS KENTUCKEA</i>	1	1 1/2" Cal., B&B	
	1	JUNE SNOW DOGWOOD / <i>Cornus controversa 'June Snow'</i>	1	2" Cal., B&B	
	1	TULIP TREE / <i>Liriodendron tulipifera</i>	1	2" CAL, B&B*	
	1	DAWN REDWOOD / <i>Metasequoia glyptostroboides</i>	1	2" CAL., B&B* or container	
	1	BLACK TUPELO / <i>Nyssa sylvatica</i>	1	2" CAL, B&B or container	
	1	YOSHINO CHERRY / <i>Prunus x yedoensis 'Akebono'</i>	1	1 1/2" Cal., B&B	
	1	REDSPIRE CALLERY PEAR / <i>Pyrus calleryana 'Redspire'</i>	1	2" CAL, B&B*	
	1	SCARLET OAK / <i>Quercus coccinea</i>	1	2" CAL., B&B* or container	
	1	OREGON WHITE OAK / <i>Quercus garryana</i>	1	1 3/4" Cal., B&B	
	1	NATIONAL KOUSA DOGWOOD / <i>Cornus kousa 'National'</i>	1	1 1/2" Cal., B&B	

SEEDED LAWN AND OTHER PLANTED AREAS



SYMBOL	QTY	DESCRIPTION
	110,940 SF	SEEDED LAWN, MANICURED, MIX FOR SUN
	10,000 SF	SEEDED LAWN-MANICURED, MIX FOR SHADE
	120,507 SF	SEEDED LAWN-MEADOW MIX
	18,777 SF	SHRUB BEDS
	71,585 SF	STORMWATER FACILITY PLANTING

SHRUB LIST

COMMON NAME / Botanical name:
DWARF BURNING BUSH / <i>Euonymus alatus 'Compacta'</i>
LILY TURF / <i>Liriope gigantea (Ophiopogon japonicus)</i>
TALL OREGON GRAPE / <i>Mahonia aquifolium</i>
GULF STREAM NANDINA / <i>Nandina domestica 'Gulf Stream'</i>
DAFFODIL (GROUP OF 3 BULBS 6" O.C.) / <i>Narcissus spp.</i>
WESTERN SKRIFDEREN / <i>Polystichum munifolium</i>
OTTO LUYKEN ENGLISH LAUREL / <i>Prunus laurocerasus 'Otto Luyken'</i>
INDIAN PRINCESS: RHAPHIOLEPIS / <i>Rhaphiolepis indica 'Indian Princess'</i>
FLOWER CARPET ROSE / <i>Rosa 'FLOWER CARPET SCARLET SUPREME'</i>
LEMON PRINCESS SPIREA / <i>Spiraea japonica 'Lemon Princess'</i>
DAVID VIBURNUM / <i>Viburnum davidii</i>

OTHER

SYMBOL	QUANTITY	DESCRIPTION
		CONCRETE WALK
		STAMPED CONCRETE
		OUTDOOR LEARNING AREA SURFACE



GENERAL NOTES


- ALL LANDSCAPED AREAS TO BE WATERED BY A FULLY AUTOMATIC UNDERGROUND IRRIGATION SYSTEM.
- PLANT MATERIAL LEGEND: SEE SHEET L1.4
- LANDSCAPE INSTALLATION NOTES AND DETAILS: SEE SHEET L4.1 TO L4.8

CONSTRUCTION NOTES

- ENTRY COMMONS AREA. SEE SHEET L3.1
- HARD SURFACE PLAYGROUND AREA. SEE SHEET L3.3
- PEDESTRIAN CROSSING AREA. SEE SHEET L3.1
- BUS LOADING AREA. SEE SHEET L3.1
- AMPHITHEATER AREA. SEE SHEET L3.2
- STORMWATER GARDEN AREA. SEE SHEET L3.2
- OUTDOOR LEARNING AREA. SEE SHEET L3.2
- OUTDOOR LEARNING AREA. SEE SHEET L3.1
- INSTALL 12 LF ROOT BARRIER WHERE INDICATED. SEE SHEET L4.1
- PEDESTRIAN CROSSING AREA AT MIDDLE SCHOOL. SEE SHEET L3.3
- STORM POND OVERLOOK WITH RAILING. SEE SHEET L3.3



LEGEND

- EXISTING EVERGREEN TREE TO REMAIN
- EXISTING DECIDUOUS TREE TO REMAIN



Harmoni Ootak Planning
700 Washington St. Ste 401
Vancouver, WA 98660
Phone: (360) 737-9613
Fax: (360) 737-9651
www.otak.com





GENERAL NOTES


1. ALL LANDSCAPED AREAS TO BE WATERED BY A FULLY AUTOMATIC UNDERGROUND IRRIGATION SYSTEM.
2. PLANT MATERIAL LEGEND: SEE SHEET L1.4
3. LANDSCAPE INSTALLATION NOTES AND DETAILS: SEE SHEET L4.1 TO L4.8

CONSTRUCTION NOTES


- ① ENTRY COMMONS AREA. SEE SHEET L3.1
- ② HARD SURFACE PLAYGROUND AREA. SEE SHEET L3.3
- ③ PEDESTRIAN CROSSING AREA. SEE SHEET L3.1
- ④ BUS LOADING AREA. SEE SHEET L3.1
- ⑤ AMPHITHEATER AREA. SEE SHEET L3.2
- ⑥ STORMWATER GARDEN AREA. SEE SHEET L3.2
- ⑦ OUTDOOR LEARNING AREA. SEE SHEET L3.2
- ⑧ OUTDOOR LEARNING AREA. SEE SHEET L3.1
- ⑨ INSTALL 12 LF ROOT BARRIER WHERE INDICATED. SEE SHEET L4.1
- ⑩ PEDESTRIAN CROSSING AREA AT MIDDLE SCHOOL. SEE SHEET L3.3
- ⑪ STORM POND OVERLOOK WITH RAILING. SEE SHEET L3.3

LEGEND

- EXISTING EVERGREEN TREE TO REMAIN
- EXISTING DECIDUOUS TREE TO REMAIN




Harri Ode Porter
700 Washington St. Ste 401
Vancouver, WA 98660
Phone: (360) 737-9613
Fax: (360) 737-9651
www.otak.com



 FLOOR PLAN, FIRST LEVEL

C:\Users\10150_Cammas\HS_AR\Cammas_HS_AR\Cammas_2015_Rev001.rvt
10/20/17 12:31:24 PM



 FLOOR PLAN, SECOND LEVEL


DESIGN REVIEW

OVERALL FLOOR PLAN - LEVEL 2
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

A1.2
7/14/2016
REVISED
10/20/17



SOUTH ELEVATION
NOT TO SCALE



NORTH ELEVATION
NOT TO SCALE

DESIGN REVIEW

EXTERIOR ELEVATIONS
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

SD 5.3

7/31/2020
REVISED
REVISED

C:\Users\j16159\Cadwork\15_Camas\15_CAR_Camas_2015_Rev01.rvt
1/20/17 10:31:14 AM



EAST ELEVATION
NOT TO SCALE



WEST ELEVATION
NOT TO SCALE

DESIGN REVIEW

EXTERIOR ELEVATIONS
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

SD 5.4

PS-10300-00
1/20/17
REVISED

DLR Group
Architecture Planning Interiors


© 2017 DLR Group. All Rights Reserved.

SHEET KEYNOTES

- ① REFER TO ONE-LINE DIAGRAM FOR UTILITY SERVICE RACEWAY.
- ② 1-4" CONDUIT W/4 1-1/2" INNERDUCTS FOR TELECOM. ONE INNERDUCT FOR 24 STRAND SINGLE MODE FIBER CABLE. PULL STRINGS IN REMAINING 3 INNERDUCT. 1-2" CONDUIT FOR 12 PAIR TELEPHONE CABLE AND 1-2" CONDUIT FOR FUTURE USE.
- ③ FOUR WAY ARECONIT VISION CORNER MOUNT CAMERA, AP201750M SERIES. SELECT AND POSITION LENSES TO PROVIDE OWNER APPROVED FIELD OF VIEW.

N 00°55'41" E 550.25'

S 89°42'11" E 828.00'



CURVE	RA
C1	47
C2	47
C3	28
C4	54
C5	17
C6	20
C7	10

SITE PLAN - ELECTRICAL
SCALE: 1"=100'

08 DD - PROGRESS SET

SITE PLAN - ELECTRICAL
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

E0.3
TS-16125000
09/20/16
REVISED




© 2016 DLR Group Architecture & Planning, Inc. All Rights Reserved.

C:\prow75-16125000\Camash16125000.dwg, 11/03/2016 12:27:35 PM

SHEET KEYNOTES

① IF THE AREA BELOW IS ADDED, REVISE THESE TWO LUMINAIRES AS 'SA2'

C1	470.00
C2	470.00
C3	280.00
C4	545.00
C5	170.00
C6	20.00
C7	1040.00



PARKING AREA IS AN ADD ALTERNATE

LUMINAIRE SCHEDULE

1/16/17 4:38 PM

TYPE	DESCRIPTION	MANUFACTURER/SERIES	FINISH	MOUNTING	LAMP(S)	VOLTS	DRIVER/BALLAST	VA
SA	POLE MOUNTED LED AREA LUMINAIRE TYPE III DISTRIBUTION, MOUNTED @+25'	LITHONIA "D-1" SERIES, 3M, HS	TBO	POLE	LED		LED, 20C 700 4000K	45
SA2	TWIN POLE MOUNTED LED AREA LUMINAIRES TYPE III DISTRIBUTION (AT 180 D.), MOUNTED @+25'	LITHONIA "D-1" SERIES, 3M, HS	TBO	POLE	LED		LED, 20C 700 4000K	90
SB	POLE MOUNTED LED AREA LUMINAIRE TYPE III DISTRIBUTION, MOUNTED @ +12'	LITHONIA "D-0" SERIES, 3M, HS	TBO	POLE	LED		LED, 20C 530 4000K	35
SC	POLE MOUNTED LED AREA LUMINAIRE TYPE V DISTRIBUTION, MOUNTED @ +25'	LITHONIA "D-1" SERIES, TSM	TBO	POLE	LED		LED, 60C 1000 4000K	209
SD	8 X 8 X 5 INCH SURFACE MOUNTED LED AREA LUMINAIRE WALL MOUNTED @ + 12" ABOVE GRADE (OR STEP, U.O.N. - CENTER OVER DOORIS).	BEGA "22 256" SERIES	TBO	SURFACE	LED	120	LED, 1124LM, 3000K	26
SF	POLE MOUNTED LED COBRAHEAD STREETLIGHT, MOUNTED @ +XX' ABOVE GRADE	CAMAS CITY STANDARD	TBO	POLE	LED		ELECTRONIC	
SG	6 INCH IN-GRADE LED 25 DEGREE ADJUSTABLE SPOTLIGHT SPOT DISTRIBUTION	HYDREL "TM9410" SERIES	ALUM	IN-GRADE	LED	120	LED, 4000K	
SH	23 INCH (DIA.) POLE MOUNTED POST-TOP LED LUMINAIRE, DISTRIBUTION TYPE II MOUNTED @ +16' ABOVE GRADE	CREE "ARE-EDR" SERIES	TBO	POLE	LED		LED, 7554LM, 6000K	90
DN	6 INCH (DIA.) X 10.5 LED DOWNLIGHT WITH 20 DEGREE BEAM	GOTHAM "ICO 6AR" SERIES	TBO	RECESSED	LED		LED, 5000LM, 3000K, 20 DEG.	75

SITE PLAN - LIGHTING
SCALE: 1" = 16'-0"

C:\prow75-16180_CammasHS_Ar_Civil\12015_mitchell\01\signa.dwg
11/03/2016 12:27:35 PM

08.DD - PROGRESS SET

SITE PLAN - LIGHTING
CAMAS PBL HIGH SCHOOL
CAMAS SCHOOL DISTRICT

E0.4
TS-16180-000
09/20/16
REVISED

DLR Group
Architecture Planning Interiors
© 2016 DLR Group Architecture & Planning, Inc. All Rights Reserved.

C:\Projects\16180_Camas\16180_Camas\16180_Camas.dwg 11/03/2016 12:27:35 PM

 SHARP DRIVE - LIGHTING
SCALE: 1"=60'

