



VICINITY MAP



SOILS MAP

- 1) EROSION CONTROL MEASURES SHALL BE INSTALLED PRIOR TO COMMENCING CLEARING AND GRUBBING, GRADING, AND DEMOLITION ACTIVITY.
- 2) STOCKPILES TO BE COVERED WITH PLASTIC SHEETING SECURED WITH SANDBAGS AND SURROUNDED WITH FABRIC SEDIMENT BARRIER.
- 3) SLOPES STEEPER THAN 4:1 TO BE GROOVED ALONG CONTOUR OF SLOPE.
- 4) SITE SHALL BE STABILIZED BY APPROVED BMP MEASURES (IE. SEED & STRAW OR HYDROSEED W/ TACKIFIER) AS SOON AS FINISHED GRADES ARE ESTABLISHED PER THE CITY OF CAMAS INSPECTOR.
- 5) IF NECESSARY, CHEMICAL MEASURES (SUCH AS CHITOSAN) MAY BE USED TO CONTROL SEDIMENT IN ACCORDANCE WITH BMP C250 OF THE STORMWATER MANAGEMENT MANUAL FOR WESTERN WASHINGTON.



NOTE:

GRADING IS TO BE PERFORMED IN ACCORDANCE WITH THE GEOTECHNICAL REPORT PROVIDED BY TERRA ASSOCIATES, INC. AS WELL AS CAMAS STANDARDS. THE REPORTS SHOULD BE CONSIDEREDAN APPENDIX TO THE FINAL PLAN SET.

* APPROXIMATE GRADING VOLUMES

- 72,000 C.Y. CUT

-- 97,000 C.Y.

* ENTIRE SITE

NOTE: CUT AND FILL AREAS AND VOLUMES ARE CALCULATED FROM EXISTING GROUND TO FINISHED GRADE AND ARE NOT ADJUSTED FOR STRIPPINGS, TRENCH EXCAVATION, STRUCTURAL EXCAVATION OR SHRINK/SWELL. CONTRACTORS ARE SOLELY RESPONSIBLE FOR QUANTITY ESTIMATES FOR BIDDING PURPOSES.



HOLLAND PARTNER GROUP 1111 MAIN STREET #700 VANCOUVER, WA. 98660

VELOPIA

CHANGES / REVISIONS

JOB NO.: 8368.04.03

SHEET

C2.1

J:\data\8000\8300\8360\8368\Engineering\Eiford Parcels\Prelim Design\Sheets\8368.e.C2.1.grading.east.dgn M:\MicroStation V8\pen tables\HP5000\ graderos.tbl

DATE: